

GUARANTEED ANALYSIS

Total Nitrogen (N)	9.00%
3.0% Other Soluble Nitrogen	
6.0% Urea Nitrogen	
Magnesium (Mg)	0.50%
Water Soluble Magnesium	0.50%
Sulfur (S)	3.00%
Boron (B)	0.05%
Iron (Fe)	3.00%
Manganese (Mn)	1.00%
Zinc (Zn)	0.50%
Molybdenum (Mo)	0.002%
F1915	
Derived from: Urea, Leather hydroylsate, Magnesium Sulfate, Boric Acid, Ferrous Sulfate, Manganese Sulfate, Zinc Sulfate, Sodium Molybdate	
Manganese Sunate, Zinc Sunate, Sodium Moryodate	

CAUTION:

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. In case of contact with eyes, flush immediately with copious amounts of water for 15 minutes. If irritation persists, consult a physician. Avoid contamination of skin and clothing. Wash with soap and water.

WARRANTY AND CONDITION OF SALE: Manufacturer warrants that this material conforms to the chemical description hereon and is reasonably fit for use as directed. No other warranty is made, either expressed or implied. Buyer and user, therefore, acknowledges and assumes all risk and liability resulting from handling, storage, and use of this material.

Manufactured By: ProTea Botan US, INC.

1039 Autumn Oaks Circle

PAR-5

PROFESSIONAL TURF USE

READ ENTIRE LABEL BEFORE USE. SHAKE WELL BEFORE USE.

DESCRIPTION

PAR-5 is a proprietary formulation of auxiliary plant nutrients designed for foliar use on intensively managed turf grasses such as golf courses and athletic playing fields. PAR-5 also contains antioxidants, enzymes, amino acid, and fermented plant extracts that promote turf growth and vigor.

COMPATIBILITY:

PAR-5 should always be tested with standard quart jar method prior to tank mixing. Do not tank mix with phosphates.

APPLICATION:

Apply as a light foliar mist covering entire target area. Best results will be obtained with spray volumes of 30-50 GPA, (285-475 L/Ha).

GENERAL RECOMMENDATIONS:

- <u>Cool Season Grasses</u>: (Bent, Bluegrasses, Fescue, Rye). Apply only at periods of very low stress, 1-2 fl. oz. per 1000 f². (30-60ml/100 m²). NOTE: During periods of low stress PAR-5 can be applied to these grass types at half rates in conjunction with full rates of TURF STAR.
- Warm Season Grasses: (Bermudas, Zoysia, St. Augustine, etc.). Apply first immediately after dormancy break at 3-5 fl. oz. per 1000 f² (90-150ml/100m²). Repeat every 10-14 days throughout season at 2-3 fl. oz. per 1000 f² (60-902 ml per 100 m²).

NET CONTENTS: 2.5 USG / 9.45 L 26.88 lbs / 12.22 Kg

FOR FLORIDA:

Collierville TN 38017 We recommend that you follow the Golf Course BMP's at: http://www.flaes.org/pdf/Golf%20Course%20BMP's.pdf