

ACTIVE INGREDIENTS

2,3,4,5- Trihydroxy		
Pentanedoic Acids		12.00%
Di Sulfosuccinate blend		72.00%
Inert Buffers and Couplers		16.00%
	Total	100.00%
F1915		

CAUTION:

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. In case of contact with eyes, flush immediately with copious amounts of water for 15 minutes. If irritation persists, consult a physician. Avoid contamination of skin and clothing. Wash with soap and water.

WARRANTY AND CONDITION OF SALE: Manufacturer warrants that this material conforms to the chemical description hereon and is reasonably fit for use as directed. No other warranty is made, either expressed or implied. Buyer and user, therefore, acknowledges and assumes all risk and liability resulting from handling, storage, and use of this material.

Manufactured By: ProTea Botan US, INC.

1039 Autumn Oaks Circle

Collierville TN 38017

NET CONTENTS: 2.5 USG / 9.45 L 21.5 lbs / 10.23 Kg

FOR FLORIDA:

We recommend that you follow the Golf Course BMP's at: http://www.flaes.org/pdf/Golf%20Course%20BMP's.pdf

PENETRAR

SUPERIOR SOIL PENETRANT PROFESSIONAL TURF USE

READ ENTIRE LABEL BEFORE USE. SHAKE WELL BEFORE USE.

DESCRIPTION

PENETRAR is a proprietary formulation of superior soil penetrating surfactants. It is designed for use on all intensively managed turf grasses such as golf courses and athletic playing fields to increase water infiltration. It is non-phytotoxic and leaves no benzene residue in the soil.

COMPATIBILITY:

PENETRAR is tank mix compatible with most nutrient solutions, fungicides, and insecticides. When in doubt always check compatibility with standard quart jar method prior to tank mixing.

APPLICATION:

٠

Apply with equipment that evenly covers target area. Water in lightly. **PENETRAR** will continue to re-wet with subsequent irrigation cycles.

GENERAL RECOMMENDATIONS:

- <u>Greens and Tees</u>: Apply 2-3 fl. oz. per 1000f² (60-90 ml/100 m²), on initial application. Repeat at 1-2 fl. oz. per 1000f² (30-60 ml/100 m²) on a 2-4 week schedule.
- <u>Athletic Fields</u>: Apply 1.5-3.0 fl. oz. per 1000f². (45-90 per 100 m²) every 3-4 weeks
 - <u>Compacted Areas</u>: Apply 4-6 fl. oz. per $1000f^2$ (120-180 ml/ $100m^2$) & repeat as needed